



## LHB SERIES LED HIGH BAY



### DIMENSIONS



Made in the U.S.A. of the U.S. and imported parts.  
Meets Buy American requirements for ARRA.

### SPECIFICATIONS

**Electronic Safety Standard:** Class I & II

**Executive Standard:** IEC598

Lamp frame is aluminum alloy with all stainless steel fasteners.

Alternative switch power supply to change the voltage, ensuring LED's work routinely and maintain an extended life-time.

Static enduring painting on the surface to resist acids and alkalies and prevent aging.

**Input Voltage:** 90 - 260 VAC

**Environment Temperature:** -35°C - +40°C

**Working Temperature:** = 75°C

**Luminous Efficiency:** = 75 LM/W

**Power:** 120 W ± 5%

**Luminous Flux:** 9000 Lm

**Color Rendering Index:** Ra = 80 Color Temperature: 5000 - 6000K

**Lifetime of lamp-house:** 30000 Hours Lamp's Efficiency = 95%

**IP:** 20 & 65

Project Name: \_\_\_\_\_

Date: \_\_\_\_\_

Location: \_\_\_\_\_

Notes: \_\_\_\_\_

# LHB SERIES LED HIGH BAY

## ORDERING INFORMATION SELECT APPROPRIATE CHOICE FROM EACH COLUMN TO FORMULATE ORDER CODE.

Refer to example below.

SERIES	WATTS - LUMENS	LIGHT SOURCE	LINE VOLTAGE	LUMINAIRE FINISH
LHB-A	80-6000 80W - 6000	LED	90-260 90-260V	BRZ Bronze
LHB-B	100-7500 100W - 7500			
	120-9000 120W - 9000			

### ORDER:

WLS-LHB-		LED	90-260	BRZ
----------	--	-----	--------	-----

Example: WLS-LHB-A-80-6000-LED-90-260-BRZ



1919 Windsor Place  
Fort Worth, TX 76110  
800.622.8711

[www.wslighting.com](http://www.wslighting.com)

Project Name: \_\_\_\_\_

Date: \_\_\_\_\_

Location: \_\_\_\_\_

Notes: \_\_\_\_\_

25 REV. 12/17

Specifications subject to change without notice.